# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Revision: 05.03.2017

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: Paint Marker Inks

**1.2 Relevant identified uses of the substance or mixture and uses advised against:** No further relevant information available.

Application of the substance / the preparation: Auxiliary for dental technology

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

| Name<br>Full address<br>District and Country                                 | REINOL s.p.a.<br>S.da del Francese 21<br>10071 Borgaro T.se<br>Italia<br>Tel. +39 011 4701510<br>Fax +39 011 4703910 |
|--|--|
| e-mail address of the competent person responsible for the Safety Data Sheet | massi@reinol.it  |
| 1.4 Emergency telephone  |  |
| For urgent inquiries refer to  | +39 011 4701511  |

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture: Classification according to Regulation (EC) No 1272/2008:



Highly flammable liquid and vapour.

GHS07

Flam. Liq. 2 H225

Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H335-H336May cause respiratory irritation. May cause drowsiness or dizziness.

2.2 Label elements: Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



(Contd. on page 2)

Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

#### Trade name: Paint Marker Inks

Revision: 05.03.2017

|  | (Contd. of page 1)  |  |
|--|---|--|
| Signal word: D                               | anger   |  |
| Hazard-determ<br>butanone<br>n-butyl acetate | ining components of labelling:  |  |
| H319 Cau                                     | hly flammable liquid and vapour.<br>Ises serious eye irritation.  |  |
| Precautionary                                | / cause respiratory irritation. May cause drowsiness or dizziness.  |  |
| P101<br>P102<br>P103                         | If medical advice is needed, have product container or label at hand.<br>Keep out of reach of children.<br>Read label before use.   |  |
| P210   | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  |  |
| P241<br>P303+P361+P3                         | Use explosion-proof electrical/ventilating/lighting/equipment.<br>53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with<br>water/shower. |  |
| P305+P351+P3                                 | 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.   |  |
| P405   | Store locked up.  |  |
| P501   | Dispose of contents/container in accordance with local/regional/national/international regulations.   |  |
| 2.3 Other hazar                              | rds:  |  |
|  | and vPvB assessment:  |  |
| PBT: Not applic                              |   |  |
| vPvB: Not appli                              | cable.  |  |

**VPVB:** Not applicable.

# SECTION 3: Composition/information on ingredients

## 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

## **Dangerous components:**

| CAS: 78-93-3<br>EINECS: 201-159-                       | butanone<br><sup>0</sup> � Flam. Liq. 2, H225; � Eye Irrit. 2, H319; STOT SE 3, H336   | 2 <= C < 2,5   |
|--|--|----------------|
| CAS: 123-86-4<br>EINECS: 204-658-<br>Additional inform | n-butyl acetate<br>1 🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336<br>ation: For the wording of the listed risk phrases refer to section 16. | 35 <= C < 37,5 |

# SECTION 4: First aid measures

4.1 Description of first aid measures: General information: Take affected persons out into the fresh air. Do not leave affected persons unattended.

After inhalation: Supply fresh air; consult doctor in case of complaints.

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Revision: 05.03.2017

#### Trade name: Paint Marker Inks

(Contd. of page 2)

After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact: Rinse opened eye for several minutes under running water. Call a doctor immediately. After swallowing: Call a doctor immediately. 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available. **SECTION 5: Firefighting measures** 

## 5.1 Extinguishing media:

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

#### 5.2 Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Can form explosive gas-air mixtures.

5.3 Advice for firefighters:

Protective equipment: Do not inhale explosion gases or combustion gases.

Additional information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling:

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Highly volatile, flammable constituents are released during processing.

Fumes can combine with air to form an explosive mixture.

(Contd. on page 4)

Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Trade name: Paint Marker Inks

Revision: 05.03.2017

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities:
Storage:
Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Store in a cool location.
Information about storage in one common storage facility:
Store away from foodstuffs.
Store away from oxidising agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
7.3 Specific end use(s): No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

# 8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:

#### 78-93-3 butanone

WEL Short-term value: 899 mg/m<sup>3</sup>, 300 ppm Long-term value: 600 mg/m<sup>3</sup>, 200 ppm Sk, BMGV

#### 123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m<sup>3</sup>, 200 ppm Long-term value: 724 mg/m<sup>3</sup>, 150 ppm Ingredients with biological limit values:

#### 78-93-3 butanone

BMGV 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

# 8.2 Exposure controls:

Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Respiratory protection: Not necessary if room is well-ventilated. Protection of hands: Protective gloves Material of gloves: Nitrile rubber, NBR Fluorocarbon rubber (Viton) Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Trade name: Paint Marker Inks

#### Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

| 9.1 Information on basic physical and<br>General Information:<br>Appearance:<br>Form:<br>Colour:<br>Odour:<br>Odour:<br>Odour threshold: | chemical properties:<br>Fluid<br>Different according to colouring<br>Characteristic<br>Not determined. |  |
|--|--|--|
| pH-value:  | Not determined.  |  |
| Change in condition:<br>Melting point/Melting range:<br>Boiling point/Boiling range:   | Undetermined.<br>79 °C   |  |
| Flash point:   | -4 °C  |  |
| Flammability (solid, gaseous):   | Not applicable.  |  |
| Ignition temperature:  | 370 °C   |  |
| Decomposition temperature:   | Not determined.  |  |
| Self-igniting:   | Product is not selfigniting.   |  |
| Danger of explosion:   | Product does not present an explosion hazard.  |  |
| Explosion limits:<br>Lower:<br>Upper:  | 1,2 Vol %<br>11,5 Vol %  |  |
| Vapour pressure at 20 °C:  | 105 hPa  |  |
| Density at 20 °C:<br>Relative density:<br>Vapour density:<br>Evaporation rate:   | 0,9 g/cm <sup>3</sup><br>Not determined.<br>Not determined.<br>Not applicable.                         |  |
| Solubility in / Miscibility with water:  | Not miscible or difficult to mix.  |  |
| Partition coefficient (n-octanol/water): Not determined.   |  |  |
| Viscosity:<br>Dynamic:<br>Kinematic:<br>9.2 Other information:   | Not determined.<br>Not determined.<br>No further relevant information available.                       |  |

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity:** No further relevant information available.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions: Forms explosive gas mixture with air.

Revision: 05.03.2017

(Contd. of page 4)

(Contd. on page 6)

Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Trade name: Paint Marker Inks

(Contd. of page 5)

Revision: 05.03.2017

10.4 Conditions to avoid: No further relevant information available.
10.5 Incompatible materials: No further relevant information available.
10.6 Hazardous decomposition products: Flammable gases/vapours
Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

11.1 Information on toxicological effects: Acute toxicity Based on available data, the classification criteria are not met. Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity:

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

## Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 12.5 Results of PBT and vPvB assessment:

**PBT:** Not applicable.

**vPvB:** Not applicable.

12.6 Other adverse effects: No further relevant information available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods:

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. **European waste catalogue:** 

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

Trade name: Paint Marker Inks

Revision: 05.03.2017

(Contd. of page 6)

| SECTION 14: Transport information   |   |
|---|---|
| 14.1 UN-Number:<br>ADR, IMDG, IATA<br>14.2 UN proper shipping name:<br>ADR<br>IMDG<br>IATA<br>14.3 Transport hazard class(es):<br>ADR, IMDG, IATA   | UN1263<br>1263 PAINT<br>PAINT<br>Paint  |
| Class:<br>Label:<br>14.4 Packing group:<br>ADR, IMDG, IATA<br>14.5 Environmental hazards:<br>Marine pollutant:<br>14.6 Special precautions for user:<br>Danger code (Kemler):<br>EMS Number:<br>14.7 Transport in bulk according to Annex II o<br>Marpol and the IBC Code | 3 Flammable liquids.<br>3<br>II<br>No<br>Warning: Flammable liquids.<br>33<br>F-E, <u>S-E</u><br>f<br>Not applicable. |
| Transport/Additional information:   |   |
| ADR<br>Limited quantities (LQ):<br>Transport category:<br>Tunnel restriction code:<br>UN "Model Regulation":  | 5L<br>2<br>D/E<br>UN 1263 PAINT, 3, II  |

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases:**

H225 Highly flammable liquid and vapour.

- H226 Flammable liquid and vapour.
- H319 Causes serious eye irritation.

Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.03.2017

#### Trade name: Paint Marker Inks

(Contd. of page 7)

Revision: 05.03.2017

H336 May cause drowsiness or dizziness. **Abbreviations and acronyms:** ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3